AUTHOR INDEX

ABUAF, N., *see* HOMBERG, J.C.

ADU, D. & GWYN WILLIAMS, D. Complement activating cryoglobulins in the nephritis of systemic lupus erythematosus, 495

AFFERNI, C., PINI, C., MISITI-DORELLO, P., BERNARDINI, L., CONCHEDDA, M. & VICARI, G. Detection of specific IgE antibodies in sera from patients with hydatidosis, 587

AJDUKIEWICZ, A.B., *see* BROWN, S.E.

ALARCÓN-SEGOVIA, D., *see* ALCOCER-VARELA, J.

ALCOCER-VARELA, J., LAFFON, A. & ALARCÓN-SEGOVIA, D. Defective monocyte production of, and T lymphocyte response to, interleukin-1 in the peripheral blood of patients with systemic lupus erythematosus, 125

ALLEGRI, L., *see* RONCO, P.

AMINO, N., *see* IWATANI, Y.

ANDERSON, W.H.K., *see* LAMMIE, P.J.

ANDRE, C., *see* HOMBERG, J.C.

APPAY, M.-D., *see* RONCO, P.

ARATAN-SPIRE, S., *see* SAVINO, W.

ASSAN, R., *see* BOITARD, C.

BAATRUP, G., PETERSEN, I., KAPPELGAARD, E., JEPSEN, H.H. & SVEHAG, S.-E. Complement-mediated solubilization of immune complexes. Solubilization inhibition and complement factor levels in SLE patients, 313

BADAKERE, S.S., *see* MORTAZAVI-MILANI, S.M.

BAGCHI, S. & DAS, K.M. Detection and partial characterization of Crohn's disease tissue specific proteins recognized by Crohn's disease sera, 41

BAKER, P.J., PARKER, C.J. & OSOFSKY, S.G. Characterization of alternative pathway inhibition by a serum derived, low molecular weight complement inhibitor, 166

BALLIEUX, R.E., *see* BLOEM, A.C.

BANKHURST, A.D., *see* FROELICH, C.J.

BARIETY, J., *see* RONCO, P.

BAST, E.J.E.G., *see* BLOEM, A.C.

BARTHOLOMAEUS, W.N., O'DONOGHUE, H. & REED, W.D. Thymus-dependence of autoantibody responses to liver specific lipoprotein in the mouse, 541

BEAULIEU, A.D., *see* STREVEY, J.

BEEKHUIS, H., *see* VAN DER WOUDE, F.J.

BEELEN, J.M., *see* VAN DER WOUDE, F.J.

BEFUS, D., *see* EGWANG, T.G.

BEN-ZUI, A., *see* BIRKENFELD, A.

BERNARD, C.C.A. & MACKAY, I.R. Survival and tissue localization of xenogeneic human lymphocytes in hypothymic nude mice: observations in normal subjects and multiple sclerosis, 211

BERNARDINI, L., *see* AFFERNI, C.

BERNSTEIN, R.M., NEUBERGER, J.M., BUNN, C.C., CALLENDER, M.E., HUGHES, G.R.V. & WILLIAMS, R. Diversity of autoantibodies in primary biliary cirrhosis and chronic active hepatitis, 553

BETTERLE, C., *see* ZANCHETTA, R.

BHUTANI, L.K., *see* NARAYANAN, R.B.

BIANCHI, F.B., *see* LENZI, M.

BIRKENFELD, A. & BEN-ZUI, A. Age associated changes in intracellular cyclic adenosine monophosphate, 651

BIRO, G., *see* FEHÉR, J.

BITTER-SUERMANN, D., *see* RAMADORI, G.

BLOEM, A.C., VAN HOOFF, C.O.M., BAST, E.J.E.G. & BALLIEUX, R.E. Mitogenic stimulation of malignant B cells. Chronic lymphocytic leukaemia: secretion of monoclonal IgM by *in vitro*-induced plasmablasts, 636

BOITARD, C., SAÏ, P., DEBRAY-SACHS, M., ASSAN, R. & HAMBURGER, J. Anti-pancreatic immunity. *In vitro* studies of cellular and humoral immune reactions directed toward pancreatic islets, 571

BORDA, E., *see* DE BRACCO, M.M. DE E.

BOTTAZZO, G.F., *see* SCHERBAUM, W.A.

BREEDVELD, F.C., LAFEBER, G.J.M., DE VRIES, E., LEYH, P.C.J., DAHA, M.R. & CATS, A. Fc receptors on granulocytes from patients with rheumatoid arthritis and Felty's syndrome, 677

BROERSMA, L., *see* KIJLSTRA, A.

BROWN, S.E., HOWARD, C.R., STEWARD, M.W., AJDUKIEWICZ, A.B. & WHITTLE, H.C. Hepatitis B surface antigen containing immune complexes occur in seronegative hepatocellular carcinoma patients, 355

BUCKNALL, R.C., *see* JOHNSON, P.M.

BUNN, C.C., *see* BERNSTEIN, R.M.

BURGER, R., *see* RAMADORI, G.

BYNOE, A.G., SCOTT, C.S., HOUGH, D. & ROBERTS, B.E. Granulocyte Fc-IgG and C3b receptor expression in the primary myelodysplastic syndromes (MDS): relationship with dysgranulopoiesis and evidence for heterogeneity of morphological subgroups, 183

CALLENDER, M.E., *see* BERNSTEIN, R.M.

CAPEL, P.J.A., *see* FAABER, P.

CAPEL, P.J.A., *see* TAX, W.J.M.

CASSANI, F., *see* LENZI, M.

CASTAGNETO, M., *see* MUSIANI, P.

CATS, A., *see* BREEDVELD, F.C.

CAVALLO, T., GRAVES, K. & GRANHOLM, N.A. Murine lupus nephritis: effects of cyclophosphamide on circulating and tissue bound immunoreactants, 67

CITTERIO, F., *see* MUSIANI, P.

CIVIN, C.I., *see* HERLYN, M.

COHEN, A., *see* LEDERMAN, H.M.

COHEN, P.L., EISENBERG, R.A. & DERMER, G.B. Unusual acidic light chains in murine SLE serum, 509

COLLINGS, L.A., *see* POULTER, L.W.

CONCHEDDA, M., *see* AFFERNI, C.

COSTELLO, M.J., GEWURZ, H. & SIEGEL, J.N. Inhibition of neutrophil activation by α,-acid glycoprotein, 465

CROMWELL, O., *see* O'DRISCOLL, B.R.C.

DAHA, M.R., *see* BREEDVELD, F.C.

DARDENNE, M., *see* SAVINO, W.

DAS, K.M., *see* BAGCHI, S.

DE BRACCO, M.M. DE E., STERIN-BORDA, L., FINK, S., FINIASZ, M. & BORDA, E. Stimulatory effect of lymphocytes from Chagas' patients on spontaneously beating rat atria, 405

DEBRAY-SACHS, M., *see* BOITARD, C.

DERMER, G.B., *see* COHEN, P.L.

De Souza, J.B., *see* Waki, S.
De Vries, E., *see* Breedveld, F.C.
De Vries, R.R.P., *see* van Eden, W.
De Witte, T.J.M., *see* Tax, W.J.M.
Doi, T., *see* Sekita, K.
Doldi, K., Manger, B., Koch, B., Riemann, J., Hermanek, P. & Kalden, J.R. Spontaneous suppressor cell activity in the peripheral blood of patients with malignant and chronic inflammatory bowel diseases, 655
Dong, J., *see* Mangkornkanok-Mark, M.
Drew, P.A., Petrucco, O.M. & Shearman, D.J.C. A factor present in human milk, but not colostrum, which is cytotoxic for human lymphocytes, 437
Drexhage, H.A., *see* Wilders, M.M.

Ebringer, A., *see* Trull, A.
Ebringer, R., *see* Trull, A.
Eerenberg-Belmer, A.J.M., *see* Hannema, A.J.
Egwang, T.G., Gauldie, J. & Befus, D. Complement-dependent killing of *Nippostrongylus brasiliensis* infective larvae by rat alveolar macrophages, 149
Eisenberg, R.A., *see* Cohen, P.L.
Elferink, B.G., *see* van Eden, W.
Ellis, W.M., *see* Roberton, D.M.

Faaber, P., Capel, P.J.A., Rijke, G.P.M., Vierwinden, G., van de Putte, L.B.A. & Koene, R.A.P. Cross-reactivity of anti-DNA antibodies with proteoglycans, 502
Fehér, E., *see* Fehér, J.
Fehér, J., Filipp, G., Kocsár, L., Mohari, K., Toncsev, H., Fehér, E. & Biro, G. Inhibition of autoimmune hepatitis with hot labelled liver specific antigen, 360
Filipp, G., *see* Fehér, J.
Finiasz, M., *see* de Bracco, M.M. de E.
Fink, S., *see* de Bracco, M.M. de E.
Fischer, T., *see* Scheynius, A.
Fish, A.J., Lockwood, M.C., Wong, M. & Prke, R.G. Detection of Goodpasture antigen in fractions prepared from collagenase digests of human glomerular basement membrane, 58
Flexman, J.P. & Shellam, G.R. Target-effector interactions in the rat NK cell system. II. Effects of interferon on lytic efficiency and on pre-NK cells in various organs, rat strains and during ontogeny, 229
Foresta, C., *see* Zanchetta, R.
Forsum, U., *see* Scheynius, A.
Freijd, A. & Rosén, A. Epstein-Barr virus induced pneumococcal antibody production in man. A comparison of different lymphoid organs, 204
Froelich, C.J. & Bankhurst, A.D. Separation of natural and antibody-dependent cytotoxicity by differential reactivity of human mononuclear cell Fc receptors with IgG, 664
Fujiwara, M., *see* Shiraki, M.

Gaffiero, G.-V., Robin, P. & Nahon, E. The mouse immune response to the double stranded polyribonucleotide complex poly(G). poly(C), 264
Gauldie, J., *see* Egwang, T.G.
Gelfand, E.W., *see* Lederman, H.M.
Georgian, M.M., *see* Hartmann, D.P.
Georgiou, G.M., *see* Roberton, D.M.
Gewurz, H., *see* Costello, M.J.
Gleichmann, E., *see* van Rappard-van der Veen, F.M.
Goldberg, E.M., *see* Herlyn, M.
Goodman, S.M., *see* Nouri, A.M.E.
Granholm, N.A., *see* Cavallo, T.
Granström, M., *see* Hammarström, L.
Graves, K., *see* Cavallo, T.
Graziotti, P., *see* Zanchetta, R.
Griscelli, C., *see* Vilmer, E.
Gwyn Williams, D., *see* Adu, D.

Hack, C.E., *see* Hannema, A.J.
Hamashima, Y., *see* Sekita, K.
Hamburger, J., *see* Boitard, C.
Hammarström, L., Granström, M., Oxelius, V., Persson, M.A.A. & Smith, C.I.E. IgG subclass distribution of antibodies against *S. aureus* teichoic acid and α-toxin in normal and immunodeficient donors, 593
Hannema, A.J., Kluin-Nelemans, J.C., Hack, C.E., Eerenberg-Belmer, A.J.M., Mallée, C. & van Helden, H.P.T. SLE like syndrome and functional deficiency of C1q in members of a large family, 106
Hart, C.A., *see* Johnson, P.M.
Hartmann, D.P., Georgian, M.M., Oghiso, Y. & Kagan, E. Enhanced interleukin activity following asbestos inhalation, 643
Hayes, J., *see* Youinou, P.Y.
Hébert, J., *see* Strevey, J.
Herlyn, M., Shen, J.W., Sears, H.F., Civin, C.I., Verrill, H.L., Goldberg, E.M. & Koprowski, H. Detection of a circulating gastrointestinal cancer antigen in sera of patients with gastrointestinal malignancies by a double determinant immunoassay with monoclonal antibodies against human blood group determinants, 23
Hermanek, P., *see* Doldi, K.
Hilgers, R., *see* Kaschka, W.P.
Ho, A.H., *see* Ma, D.D.F.
Hodgson, H.J.F., *see* Rong, P.B.
Hoedemaeker, Ph.J., *see* van der Woude, F.J.
Hoffbrand, A.V., *see* Ma, D.D.F.
Holborow, E.J., *see* Mortazavi-Milani, S.M.
Homberg, J.C., Andre, C. & Abuaf, N. A new anti-liver—kidney microsome antibody (anti-LKM2) in tienilic acid-induced hepatitis, 561
Hosking, C.S., *see* Roberton, D.M.
Hough, D., *see* Bynoe, A.G.
Howard, C.R., *see* Brown, S.E.
Hughes, G.R.V., *see* Bernstein, R.M.
Hurley, T., *see* Jensen, D.M.
Hurst, N.P., Nuki, G. & Wallington, T. Evidence for intrinsic cellular defects of 'complement' receptor-mediated monocyte phagocytosis in patients with systemic lupus erythematosus (SLE), 303

Ilonen, J., *see* Karttunen, R.
Irving, W.L., *see* Youinou, P.Y.
Iwanti, Y., Amino, N., Kabutomori, O., Mori, H., Tamaki, H., Motoi, S., Izumiguchi, Y. & Miyai, K. Decrease of peripheral large granular lymphocytes in Graves' disease, 239

IZUMIGUCHI, Y., *see* IWATANI, Y.

JAMES, D.C.O., *see* TRULL, A.
JANOSSY, G., *see* TAX, W.J.M.
JENSEN, D.M., PETERSON, D.A., WOLFE, L.G., HURLEY, T., PAYNE, J.A. & OGDEN, J. Antibodies directed against human liver specific membrane lipoprotein (LSP) in marmosets experimentally infected with the hepatitis A virus, 535
JEPSEN, H.H., *see* BAATRUP, G.
JOHNSON, P.M., PHUA, K.K., PERKINS, H.R., HART, C.A. & BUCKNALL, R.C. Antibody to streptococcal cell wall peptidoglycan-polysaccharide polymers in seropositive and seronegative rheumatic disease, 115

KABUTOMORI, O., *see* IWATANI, Y.
KAGAN, E., *see* HARTMANN, D.P.
KALDEN, J.R., *see* DOLDI, K.
KALLENBERG, C.G.M., *see* VAN DER WOUDE, F.J.
KALSI, J., *see* RONG, P.B.
KANATSU, K., *see* SEKITA, K.
KAPPELGAARD, E., *see* BAATRUP, G.
KARTTUNEN, R., NURMI, T., ILONEN, J. & SURCEL, H.-M. Cell-mediated immunodeficiency in Down's syndrome: normal IL-2 production but inverted ratio of T cell subsets, 257
KASCHKA, W.P., KLEIN, G., HILGERS, R. & SKVARIL, F. Humoral immune response in Epstein-Barr virus infections. II. IgG subclass distribution in African patients with Burkitts lymphoma and nasopharyngeal carcinoma, 14
KATZ, S.P., *see* LAMMIE, P.J.
KAY, A.B., *see* O'DRISCOLL, B.R.C.
KELSO, A., *see* TITUS, R.G.
KIJLSTRA, A. & BROERSMA, L. Lactoferrin stimulates the production of leucocyte migration inhibitory factor by human peripheral mononuclear leucocytes, 459
KIMURA, M., *see* VAN RAPPARD-VAN DER VEEN, F.M.
KLARESKOG, L., *see* SCHEYNIUS, A.
KLEIN, G., *see* KASCHKA, W.P.
KLUIN-NELEMANS, J.C., *see* HANNEMA, A.J.
KOCH, B., *see* DOLDI, K.
KOCSÁR, L., *see* FEHÉR, J.
KOENE, R.A.P., *see* FAABER, P.
KOENE, R.A.P., *see* TAX, W.J.M.
KOKJÉ, M., *see* WILDERS, M.M.
KONG, Y.M., *see* VAN RAPPARD—VAN DER VEEN, F.M.
KOPROWSKI, H., *see* HERLYN, M.

LAAL, S., *see* NARAYANAN, R.B.
LAFEBER, G.J.M., *see* BREEDVELD, F.C.
LAFFON, A., *see* ALCOCER-VARELA, J.
LAMMIE, P.J., KATZ, S.P. & ANDERSON, W.H.K. Serosuppression in experimental filariasis, 602
LANZAVECCHIA, A. & PARODI, B. *In vitro* stimulation of IgE production at a single precursor level by human alloreactive T helper clones, 197
LATULIPPE, L., *see* STREVEY, J.
LAURIOLA, L., *see* MUSIANI, P.
LEDERMAN, H.M., LEE, J.W.W., COHEN, A. & GELFAND, E.W. Functional characterization of human thymocyte subpopulations separated by density gradient centrifugation, 388
LEE, J.W.W., *see* LEDERMAN, H.M.
LEEUWENBERG, J., *see* TAX, W.J.M.
LE GOFF, P., *see* SCHERBAUM, W.A.
LEIKER, D.L., *see* VAN EDEN, W.
LENOIR, G.M., *see* VILMER, E.
LENS, J.W., VAN DEN BERG, W.B. & VAN DE PUTTE, L.B.A. Flare-up of antigen-induced arthritis in mice after challenge with intravenous antigen: studies on the characteristics of and mechanisms involved in the reaction, 287
LENZI, M., BIANCHI, F.B., CASSANI, F. & PISI, E. Liver cell surface expression of the antigen reacting with Liver–Kidney microsomal antibody (LKM), 36
LEYH, P.C.J., *see* BREEDVELD, F.C.
LIEU, H., *see* ROLA-PLESZCZYNSKI, M.
LIMBURG, P.C., *see* VAN DER WOUDE, F.J.
LINARES, J., *see* ROMANO, E.L.
LOCKWOOD, M.C., *see* FISH, A.J.
LOUIS, J.A., *see* TITUS, R.G.
LUCIANI, G., *see* MUSIANI, P.
LYDYARD, P.M., *see* YOUINOU, P.Y.

MA, D.D.F., HO, A.H. & HOFFBRAND, A.V. Effect of thymosin on glucocorticoid receptor activity and glucocorticoid sensitivity of human thymocytes, 273
MCFARLANE, B.M., *see* MCFARLANE, I.G.
MCFARLANE, I.G., MCFARLANE, B.M., MAJOR, G.N., TOLLEY, P. & WILLIAMS, R. Identification of the hepatic asialo-glycoprotein receptor (hepatic lectin) as a component of liver specific membrane lipoprotein (LSP), 347
MACKAY, I.R., *see* BERNARD, C.C.A.
MAGGIANO, N., *see* MUSIANI, P.
MAJOR, G.N., *see* MCFARLANE, I.G.
MALLÉE, C., *see* HANNEMA, A.J.
MANGER, B., *see* DOLDI, K.
MANGKORNKANOK-MARK, M., MARK, A.S. & DONG, J. Immunoperoxidase evaluation of lymph nodes from acquired immune deficiency patients, 581
MARK, A.S., *see* MANGKORNKANOK-MARK, M.
MASTROGIACOMO, I., *see* ZANCHETTA, R.
MELCION, C., *see* RONCO, P.
MÉNARD, C., *see* STREVEY, J.
MEUWISSEN, S.G.M., *see* WILDERS, M.M.
MEYER ZUM BÜSCHENFELDE, K.H., *see* RAMADORI, G.
MISITI-DORELLO, P., *see* AFFERNI, C.
MIYAI, K., *see* IWATANI, Y.
MIYAWAKI, T., TAGA, K., NAGAOKI, T., SEKI, H., SUZUKI, Y. & TANIGUCHI, N. Circadian changes of T lymphocyte subsets in human peripheral blood, 618
MOHARI, K., *see* FEHÉR, J.
MONTANO, J.D., *see* RODRIGUEZ, M.A.
MORGAN, J.E., *see* WATT, D.J.
MORI, H., *see* IWATANI, Y.
MORTAZAVI-MILANI, S.M., BADAKERE, S.S. & HOLBOROW, E.J. Antibody to intermediate filaments of the cytoskeleton in the sera of patients with acute malaria, 177
MOTA, I., *see* ROMEIRO, S.A.
MOTOI, S., *see* IWATANI, Y.
MUSIAN, P., CITTERIO, F., MAGGIANO, N., POZZETTO, U., LAURIOLA, L., LUCIANI, G., RANELLETTI, F.O., CASTAGNETO, M. & PIANTELLI, M. Gluco-

MUSIAN *et al.* (*cont.*)
corticoid inhibitory action on the response to PHA of residual circulatory lymphocytes in renal transplant patients following immunosuppressive therapy, 217
MUSO, E., *see* SEKITA, K.

NAGAOKI, T., *see* MIYAWAKI, T.
NAHON, E., *see* GAFFIERO, G.-V.
NARAYANAN, R.B., LAAL, S., SHARMA, A.K., BHUTANI, L.K. & NATH, I. Differences in predominant T cell phenotypes and distribution pattern in reactional lesions of tuberculoid and lepromatous leprosy, 623
NATH, I., *see* NARAYANAN, R.B.
NEUBERGER, J.M., *see* BERNSTEIN, R.M.
NOURI, A.M.E., PANAYI, G.S. & GOODMAN, S.M. Cytokines and the chronic inflammation of rheumatic disease. I. The presence of interleukin-1 in synovial fluids, 295
NUKI, G., *see* HURST, N.P.
NURMI, T., *see* KARTTUNEN, R.

O'DONOGHUE, H., *see* BARTHOLOMAEUS, W.N.
O'DRISCOLL, B.R.C., CROMWELL, O. & KAY, A.B. Sputum leukotrienes in obstructive airways diseases, 397
OGDEN, J., *see* JENSEN, D.M.
OGHISO, Y., *see* HARTMANN, D.P.
OSOFSKY, S.G., *see* BAKER, P.J.
OUWEHAND, W., *see* VAN DER WOUDE, F.J.
OXELIUS, V., *see* HAMMARSTRÖM, L.

PANAYI, G.S., *see* NOURI, A.M.E.
PANAYI, G.S., *see* TRULL, A.
PARKER, C.J., *see* BAKER, P.J.
PARODI, B., *see* LANZAVECCHIA, A.
PARTRIDGE, T.A., *see* WATT, D.J.
PASQUALLI, J.-L., URLACHER, A. & STORCK, D. Idiotypic network; possible explanation of seronegativity in a patient with rheumatoid arthritis, 281
PAYNE, J.A., *see* JENSEN, D.M.
PERKINS, H.R., *see* JOHNSON, P.M.
PERSSON, M.A.A., *see* HAMMARSTRÖM, L.
PETERSEN, I., *see* BAATRUP, G.
PETERSON, D.A., *see* JENSEN, D.M.
PETRUCCO, O.M., *see* DREW, P.A.
PHUA, K.K., *see* JOHNSON, P.M.
PIANTELLI, M., *see* MUSIANI, P.
PINI, C., *see* AFFERNI, C.
PIROTSKY, E., *see* RONCO, P.
PISI, E., *see* LENZI, M.
PLAYFAIR, J.H.L., *see* WAKI, S.
PONTILLON, F., *see* RONCO, P.
POULTER, L.W., COLLINGS, L.A., TUNG, K.S. & WATERS, M.F.R. Parasitism of antigen presenting cells, 611
POZZETTO, U., *see* MUSIANI, P.
PRICE, R.G., *see* FISH, A.J.

RAMADORI, G., RASOKAT, H., BURGER, R., MEYER ZUM BÜSCHENFELDE, K.H. & BITTER-SUERMANN, D. Quantitative determination of complement components produced by purified hepatocytes, 189
RANELLETTI, F.O., *see* MUSIANI, P.
RAPHAEL, L. & TOM, B.H. Liposome facilitated xenogeneic approach for studying human colon cancer immunity: carrier and adjuvant effect of liposomes, 1
RASOKAT, H., *see* RAMADORI, G.
REED, W.D., *see* BARTHOLOMAEUS, W.N.
RIEMANN, J., *see* DOLDI, K.
RIJKE, G.P.M., *see* FAABER, P.
ROBERTON, D.M., GEORGIOU, G.M., ELLIS, W.M. & HOSKING, C.S. Murine anti-lymphocyte monoclonal antibodies fail to act as opsonins for allogeneic human peripheral blood polymorphonuclear phagocytes, 444
ROBERTS, B.E., *see* BYNOE, A.G.
ROBIN, P., *see* GAFFIERO, G.-V.
RODRIGUEZ, M.A., MONTANO, J.D. & WILLIAMS, R.C. Immunoglobulin production by peripheral blood mononuclear cells in patients with alcoholic liver disease, 369
ROLA-PLESZCZYNSKI, M. & LIEU, H. Natural cytotoxic cell activity linked to time of recurrence of herpes labialis, 224
ROMANO, E.L., ROSSI DEVIVO, M.L., SOYANO, A. & LINARES, J. Destruction of IgG anti-A sensitized erythrocytes by mononuclear leucocytes from normal and ABO haemolytic disease affected infants, 451
ROMEIRO, S.A., TAKEHARA, H.A. & MOTA, I. Isotype of lytic antibodies in serum of Chagas' disease patients, 413
RONCO, P., ALLEGRI, L., MELCION, C., PIROTSKY, E., APPAY, M.-D., BARIETY, J., PONTILLON, F. & VERROUST, P. A monoclonal antibody to brush border and passive Heymann nephritis, 319
RONG, P.B., KALSI, J. & HODGSON, H.J.F. Hyperglobulinaemia in chronic liver disease: relationships between *in vitro* immunoglobulin synthesis, short lived suppressor cell activity and serum immunoglobulin levels, 546
ROSE, N.R., *see* VAN RAPPARD—VAN DER VEEN, F.M.
ROSÉN, A., *see* FREIJD, A.
ROSSI DIVIVO, M.L., *see* ROMANO, E.L.

SAÏ, P., *see* BOITARD, C.
SALVIN, S.B. & TANNER, E.P. Resistance and susceptibility to infection in inbred murine strains. III. Effect of thymosin on cellular immune responses of alloxan diabetic mice, 133
SAVINO, W., WOLF, B., ARATAN-SPIRE, S. & DARDENNE, M. Thymic hormone containing cells. IV. Fluctuations in the thyroid hormone levels *in vivo* can modulate the secretion of thymalin by the epithelial cells of young mouse thymus, 629
SCHERBAUM, W.A., YOUINOU, P.Y., LE GOFF, P. & BOTTAZZO, G.F. Anti-perinuclear and rheumatoid factor in different forms of autoimmune thyroid disease, 516
SCHEYNIUS, A., FISCHER, T., FORSUM, U. & KLARESKOG, L. Phenotypic characterization *in situ* of inflammatory cells in allergic and irritant contact dermatitis in man, 81
SCHILT, U., *see* SKVARIL, F.
SCOTT, C.S., *see* BYNOE, A.G.
SEARS, H.F., *see* HERLYN, M.
SEKI, H., *see* MIYAWAKI, T.

SEKITA, K., DOI, T., MUSO, E., YOSHIDA, H., KANATSU, K. & HAMASHIMA, Y. Correlation of C3d fixing circulating immune complexes with disease activity and clinical parameters in patients with systemic lupus erythematosus, 487
SHARMA, A.K., *see* NARAYANAN, R.B.
SHEARMAN, D.J.C., *see* DREW, P.A.
SHELLAM, G.R., *see* FLEXMAN, J.P.
SHEN, J.W., *see* HERLYN, M.
SHIPLEY, M., *see* YOUINOU, P.Y.
SHIRAKI, M., FUJIWARA, M. & TOMURA, S. Long term administration of cyclophosphamide in MRL/l mice. I. The effects on the development of immunological abnormalities and lupus nephritis, 333
SHIRAKI, M. & FUJIWARA, M. Long term administration of cyclophosphamide into MRL/1 mice. II. The effects on the isotype of anti-DNA antibodies and immunoglobulin secreting cells in the spleen, 519
SIEGEL, J.N., *see* COSTELLO, M.J.
SKVARIL, F. & SCHILT, U. Characterization of the subclasses and light chain types of IgG antibodies to rubella, 671
SKVARIL, F., *see* KASCHKA, W.P.
SMITH, C.I.E., *see* HAMMARSTRÖM, L.
SOYANO, A., *see* ROMANO, E.L.
STERIN-BORDA, L., *see* DE BRACCO, M.M. DE E.
STEWARD, M.W., *see* BROWN, S.E.
STORCK, D., *see* PASQUALI, J.-L.
STREVEY, J., BEAULIEU, A.D., MÉNARD. C., VALET, J.P., LATULIPPE, L. & HÉBERT, J. The role of fibronectin in the cryoprecipitation of monoclonal cryoglobulins, 340
SURCEL, H.-M., *see* KARTTUNEN, R.
SUZUKI, Y., *see* MIYAWAKI, T.
SVEHAG, S.-E., *see* BAATRUP, G.

TAGA, K., *see* MIYAWAKI, T.
TAKEHARA, H.A., *see* ROMEIRO, S.A.
TAMAKI, H., *see* IWATANI, Y.
TANIGUCHI, N., *see* MIYAWAKI, T.
TANNER, E.P., *see* SALVIN, S.B.
TARGETT, G.A.T., *see* WAKI, S.
TAX, W.J.M., TIDMAN, N., JANOSSY, G., TREJDOSIEWICZ, L., WILLEMS, R., LEEUWENBERG, J., DE WITTE, T.J.M., CAPEL, P.J.A. & KOENE, R.A.P. Monoclonal antibody (WT1) directed against a T cell surface glycoprotein: characteristics and immunosuppressive activity, 427
THE, T.H., *see* VAN DER WOUDE, F.J.
TIDMAN, N., *see* TAX, W.J.M.
TITUS, R.G., KELSO, A. & LOUIS, J.A. Intracellular destruction of *Leishmania tropica* by macrophages activated with macrophage activating factor/interferon, 157
TOLLEY, P., *see* MCFARLANE, I.G.
TOM, B.H., *see* RAPHAEL, L.
TOMURA, S., *see* SHIRAKI, M.
TONCSEV, H., *see* FEHÉR, J.
TREJDOSIEWICZ, L., *see* TAX, W.J.M.
TRULL, A., EBRINGER, A., PANAYI, G., EBRINGER, R. & JAMES, D.C.O. HLA-B27 and the immune response to enterobacterial antigens in ankylosing spondylitis, 74
TUNG, K.S., *see* POULTER, L.W.

URLACHER, A., *see* PASQUALI, J.-L.

VALET, J.P., *see* STREVEY, J.
VAN DEN BERG, W.B., *see* LENS, J.W.
VAN DE PUTTE, L.B.A., *see* FAABER, P.
VAN DE PUTTE, L.B.A., *see* LENS, J.W.
VAN DER GIESSEN, M., *see* VAN DER WOUDE, F.J.
VAN DER HEM, G.K., *see* VAN DER WOUDE, F.J.
VAN DER WOUDE, F.J., VAN DER GIESSEN, M., KALLENBERG, C.G.M., OUWEHAND, W., BEEKHUIS, H., BEELEN, J.M., VAN SON, W.J., HOEDEMAEKER, PH.J., VAN DER HEM, G.K. & THE, T.H. Reticuloendothelial Fc receptor function in SLE patients. I. Primary HLA linked defect or acquired dysfunction secondary to disease activity?, 473
VAN DER WOUDE, F.J., KALLENBERG, C.G.M., LIMBURG, P.C., BEEKHUIS, H., OUWEHAND, W., VAN DER GIESSEN, M., HOEDEMAEKER, PH.J., VAN DER HEM, G.K. & THE, T.H. Reticuloendothelial Fc receptor function in SLE patients. II. Associations with humoral immune response parameters *in vivo* and *in vitro*, 481
VAN EDEN, W., ELFERINK, B.G., DE VRIES, R.R.P., LEIKER, D.L. & VAN ROOD, J.J. Low T lymphocyte responsiveness to *Mycobacterium leprae*, antigens in association with HLA-DR3, 140
VAN HELDEN, H.P.T., *see* HANNEMA, A.J.
VAN HOOFF, C.O.M., *see* BLOEM, A.C.
VAN RAPPARD—VAN DER VEEN, F.M., KONG, Y.M., ROSE, N.R., KIMURA, M. & GLEICHMANN, E. Injection of mouse thyroglobulin and/or adult thymectomy do not break tolerance to thyroglobulin during the lupus like graft versus host disease in mice, 525
VAN ROOD, J.J., *see* VAN EDEN, W.
VAN SON, W.J., *see* VAN DER WOUDE, F.J.
VERRILL, H.L., *see* HERLYN, M.
VERROUST, P., *see* RONCO, P.
VERSPAGET, H.W., *see* WILDERS, M.M.
VICARI, G., *see* AFFERNI, C.
VIERWINDEN, G., *see* FAABER, P.
VILMER, E., LENOIR, G.M., VIRELIZIER, J.L. & GRISCELLI, C. Epstein-Barr serology in immunodeficiencies: an attempt to correlate with immune abnormalities in Wiskott-Aldrich and Chediak-Higashi syndromes and ataxia telangiectasia, 249
VIRELIZIER, J.L., *see* VILMER, E.
VISCHER, T.L. Neutral proteinases induce rheumatoid factor production in mouse spleen cell cultures, 99

WAKI, S., TARGETT, G.A.T., DE SOUZA, J.B. & PLAYFAIR, J.H.L. *Letter to the Editor*. Anti-lymphocyte autoantibodies in lethal mouse malaria and their absence in an irradiation-induced non-lethal variant, 245
WALLINGTON, T., *see* HURST, N.P.
WATERS, M.F.R., *see* POULTER, L.W.
WATT, D.J., MORGAN, J.E. & PARTRIDGE, T.A. Long term survival of allografted muscle precursor cells following a limited period of treatment with cyclosporin A, 419
WHITTLE, H.C., *see* BROWN, S.E.

WILDERS, M.M., DREXHAGE, H.A., KOKJÉ, M., VERSPAGET, H.W. & MEUWISSEN, S.G.M. Veiled cells in chronic idiopathic inflammatory bowel disease, 377
WILLEMS, R., *see* TAX, W.J.M.
WILLIAMS, R., *see* BERNSTEIN, R.M.
WILLIAMS, R., *see* MCFARLANE, I.G.
WILLIAMS, R.C., *see* RODRIGUEZ, M.A.
WOLF, B., *see* SAVINO, W.
WOLFE, L.G., *see* JENSEN, D.M.
WONG, M., *see* FISH, A.J.
YOSHIDA, H., *see* SEKITA, K.
YOUINOU P.Y., IRVING, W.L., SHIPLEY, M., HAYES, J. & LYDYARD, P.M. Evidence for B cell activation in patients with active rheumatoid arthritis, 91
YOUINOU, P.Y., *see* SCHERBAUM, W.A.

ZANCHETTA, R., MASTROGIACOMO, I., GRAZIOTTI, P., FORESTA, C. & BETTERLE, C. Autoantibodies against Leydig cells in patients after spermatic cord torsion, 49

SUBJECT INDEX

α,-acid glycoprotein, 465
Acute phase reactant, 465
Adenoids, 204
Adjuvant, 1
Adoptive transfer, 211
Affinity chromatography, 41
AIDS, 581
Alcoholic liver disease, 369
Allogeneic effect, 197
Allograft, 419
Alloxan diabetes, 133
Alternative pathway, 166
Alveolar macrophages, 149
Animal models, 509
Antibodies
  anti-DNA
    cross-reactivity, 502
    isotypes, 519
    lupus nephritis, 67
  anti-GBM, 58
  anti-lymphocyte, 444
  anti-nuclear, 553
  lytic, 413
  poly(G). poly (C), 264
Antibody-dependent cytotoxicity, 664
Antigen administration, 287
Antigen-induced arthritis, 287
Antigen presenting cells
  hyperbacillary leprosy, 611
  inflammatory bowel disease, 377
Anti-LSP, 347
Anti-perinuclear factor, 516
Anti-pneumococcal antibodies, 204
Ankylosing spondylitis, 74
Asbestos, 643
Asialo-glycoprotein receptors, 347
Asthma, 397
Ataxia telangiectasia, 249
Autoantibodies
  germ-line cells, 49
  intermediate filaments, 177
  Leydig cells, 49
  liver-kidney microsomes, 36
  liver specific lipoprotein, 541
  lymphocytes, 245
  sperm, 49
Autoimmune hepatitis, 360

Basement membranes, 58
B cells
  activation
    proteinases, 99
    rheumatoid arthritis, 91
  populations, 91
B lymphocytes, 525
Bone marrow transplantation, 444
Brugia pahangi, 602
Brush border, 319
Burkitt's lymphoma, 14

C1q, 106
C3d, 487
Candida albicans, 133
Cell cycle, 388
Cell proliferation, 553
Cellular resistance, 133
Chagas' disease, 405
Chagas' disease, 413
Chediak-Higashi serology, 249
Chronic bronchitis, 397
Chronic idiopathic inflammatory bowel disease, 377
Chronic lymphoblastic leukaemia, 636
Circadian rhythm, 618
Cirrhosis, 546
Clonal deletion, 360
Collagenase, 58
Colony stimulating factor, 157
Colostrum, 437
Complement
  deficiency, 106
  factors, 313
  lupus nephritis, 67
  myelodysplastic syndromes, 183
  receptors, 149
  solubilization, 313
  systemic lupus erythematosus
    cryoglobulins, 495
    phagocytosis, 303
Contact dermatitis, 81
Cryoglobulins, 495
Cyclic AMP, 651
Clyclophosphamide
  long term administration
    I, 333
    II, 519
Cyclosporin A, 419
Cystic fibrosis, 397
Cytochalasin B, 451
Cytomegalovirus, 541
Cytoskeleton, 177
Cytotoxic, 437
Cytotoxicity
  leucocyte, 451
  natural and antibody, 664

Delayed hypersensitivity, 133
Density gradient centrifugation, 388
Desialyzation, 465
Diabetes, 571
Disease activity, 487
Down's syndrome, 257
Drug-induced hepatitis, 561

Echinococcosis hydatidosis, 587
Electophoretic blotting, 58
ELISA
  antibody production, 204
  IgE detection, 587
Eluate, 67
Enterobacteriaceae, 74
Epstein—Barr virus
  antibody production, 204
  immune response, 14
  serology, 249

Fc receptors
  granulocytes, 677
  mononuclear cells, 664

Fc receptors (*cont.*)
  systemic lupus erythematosus
    I, 473
    II, 481
Felty's syndrome, 677
Fibroblasts, 643
Fibronectin, 340
Flare-up reactions, 287
Flow cytometry, 618

Gastrointestinal tumours
  circulating cancer antigen, 23
  suppressor cell activity, 655
Gel electrophoresis, 509
Germ-line cell autoantibodies, 49
Glucocorticoids
  inhibition, 217
  receptors, 273
Graft versus host reaction, 525
Granulocytes, 183
Gut, 377

Haemolytic disease, 451
HBsAg, 355
Helminthocidal, 149
Hepatitis
  autoimmune, 360
  drug-induced, 561
Hepatitis A, 535
Hepatocytes, 36
Herpes simplex virus, 224
HLA
  reticuloendothelial function, 473
  lymphocyte responsiveness, 140
HLA-B27, 74
HLA linked diseases, 74
Human
  colon cancer, 1
  milk, 437
  thymocytes, 273
Humoral immune response, 481
Hydrocortisone, 451
Hyperglobulinaemia, 546

IgA subclasses, 593
IgE
  detection, 587
  production, 197
IgG
  light chains, 671
  subclasses
    Epstein-Barr virus, 14
    rubella, 671
    S. aureus, 593
IgM, 99
Idiotypic network, 281
Idiotypes, 281
Immune complexes
  hepatitis B antigen, 355
  solubilization, 313
  systemic lupus erythematosus
    C3d fixing, 487
    reticuloendothelial system, 473
Immune suppression, 360
Immunodeficiency, 593
Immunofluorescence, 629

Immunoglobulins
  myelodysplastic syndromes, 183
  preparations, 671
  production, 636
  systemic lupus erythematosus, 509
Immunoperoxidase, 581
Immunoprecipitation, 41
Immunoregulation, 602
Immunosuppressive therapy, 217
Inflammatory bowel disease
  suppressor cells, 655
  tissue specific antigens, 41
Inflammatory cells, 81
Inhibitory factor, 459
Insulin secretion, 571
Interferon
  α type, 369
  macrophage activation, 157
Interleukin-1, 125
Interleukin-2, 257
Interleukins, 643
Irradiation, 245
Islet cells, 571

Jirds, 602

Kenya, 14
Kidney, 58
Killer cells, 664
Klebsiella, 74

Lactoferrin, 459
Leishmania tropica, 157
Leprosy
  hyperbacillary, 611
  reactions, 623
Leucocytes, 459
Leukotrienes, 397
Leydig cell autoantibodies, 49
Light chains, 509
Liposomes, 1
Liver autoimmunity, 36
Liver disease, 553
Liver membrane autoantibodies, 36
Liver plasma membranes, 347
Liver specific lipoprotein
  antibodies
    hepatitis A, 535
    thymus-dependence, 541
  hepatic lectin, 347
Local hyper-reactivity, 287
Lupus, 509
Lupus nephritis, 333
Lymph nodes, 581
Lymphocytes
  age changes, 651
  anti-pancreas, 571
  autoantibodies, 245
  cytotoxicity, 437
  localization, 211
  mitogenesis, 217
  responses, 257
  stimulatory effect, 405
  subpopulations, 257
Lymphoproliferation, 643

Macrophages
  activating factor, 157
  hyperbacillary leprosy, 611
  inflammatory bowel disease, 377
  interleukin production, 643
Malaria
  anti-lymphocyte autoantibodies, 245
  cytoskeleton antibodies, 177
Mice, 264
Microsomal antibody, 561
Migration inhibitory factor, 133
Milk, 437
Mitogen stimulation, 636
Monoclonal antibodies
  brush border, 319
  cytotoxic cells, 224
  human blood groups, 23
  IgG antibodies, 671
  inflammatory cells, 81
  T lymphocytes, 618
Monoclonal cryoglobulins, 340
Monocytes
  interleukin-1, 125
  phagocytosis, 303
Monokines, 125
MRL/l mice
  I, 333
  II, 519
Multiple sclerosis, 211
Muscle precursor, 419
Mycobacterium leprae, 140
Myelodysplastic syndromes, 183

Nasopharyngeal carcinoma, 14
Natural cytotoxicity
  herpes labialis, 224
  mononuclear cells, 664
Natural killer cells
  herpes labialis, 224
  mononuclear cells, 664
Nephritis
  monoclonal antibody, 319
  systemic lupus erythematosus, 495
Neutrophils, 465
Nippostrongylus brasiliensis, 149
Nucleic acids, 264
Nude mice
  autoantibodies, 541
  xenogeneic lymphocytes, 211

Opsonins, 444

Parasitism, 611
Paroxysmal nocturnal haemoglobinuria, 166
Phagocytosis, 303
Plasma cortisol, 618
Polyacrylamide gels, 58
Polyclonal B cell activation, 99
Poly(G). poly(C), 264
Polymorphonuclear leucocytes, 444
Primary myxoedema, 516
Proteinases, 99
Proteinuria, 67
Proteoglycans, 502

RAST, 587
Receptors
  C3b, 183
  complement, 303
Recurrent herpes labialis, 224
Renal transplants, 217
Reticuloendothelial system
  I, 473
  II, 481
Rheumatoid arthritis
  B cells, 91
  granulocytes, 677
  idiotypic network, 281
Rheumatoid factor
  idiotypic network, 281
  production, 99
  thyroid disease, 516
Rubella, 671

Sera, 571
Seronegative hepatoma, 355
Serosuppression, 602
Serum antigens, 23
Sicca syndrome, 553
Spermatic cord torsion, 49
Sperm autoantibodies, 49
Sputum, 397
SRS-A, 405
Suppressor cells, 655
Survival, 419
Systemic lupus erythematosus
  anti-DNA antibodies, 502
  C1q deficiency, 106
  cryoglobulins, 495
  immune complexes
    C3d fixing, 487
    solubilization, 313
  interleukin-1, 125
  monocyte phagocytosis, 303
  reticuloendothelial system
    I, 473
    II, 481
  thyroglobulin tolerance, 525

T-B cell co-operation, 525
T cells
  clones
    alloreactive, 197
    L. tropica destruction, 157
  colonies, 388
  phenotypes, 623
  proliferation, 140
  subsets, 618
^{99m}Tc uptake, 287
Testicular autoimmunity, 49
Test immunization, 481
Thymic epithelial cells, 629
Thymocytes, 388
Thymosin, 273
Thymulin, 629
Thyroglobulin, 525
Thyroid hormones, 629
Tienilic acid, 561
T lymphocytes, 125
Trisomy-21, 257
Trypanosoma cruzi, 413
T suppressor cells, 546

Tumour lines, 157
Tumours, 1

Variant, 245
Veiled cells, 377

V gene repertoire, 593

Wiskott-Aldrich syndrome, 249

Xenoimmunity, 1